



R11L Tablet

Ultra Affordable with Feature-Rich Functionality

- 11.6" FHD display
- Intel® Pentium® 4000 Series processor
- Intel® Wireless AC9260 & Bluetooth® V5.0
- Optional Long-Life Battery up to 16 hr.
- Optional Dedicated GPS & 4G LTE WWAN
- Optional barcode, RFID & smart card reader



R11L Specifications

DURABILITY

- MIL-STD 810G certified (Drop, Shock, Vibration, Altitude, Freeze / Thaw, High/Low Temperature, Temperature Shock, Humidity)
- MIL-STD 461F certified
- Optional : ANSI/ISA 12.12.01-2000, Class I, Division 2
- 4' drop 26 faces
- IP 65 certified
- Aluminum-magnesium alloy chassis
- Port covers
- Optional sunlight readable display

OPERATING SYSTEM

- Windows® 10 Pro 64-bit⁵

PROCESSORS

- Intel® Pentium® 4417U 2.3GHz, 2MB cache

GRAPHICS

- Intel® UHD Graphics 610

MEMORY

- 1 Slot 4GB (2133MHz DDR4)
- Optional : up to 8GB DDR4

STORAGE

- 128GB M.2 2242 SSD
- Optional : 256GB / 512GB M.2 2242 SSD

DISPLAY

- 11.6" FHD (1920 × 1080)
- Optional 1000 nits DynaVue® sunlight readable display with capacitive multi- touch screen

AUDIO

- Integrated microphone
- Intel® High Definition Audio Compliant
- Integrated speaker x 1

CAMERA

- Integrated 2.0 MP front-facing camera
- 5.0 MP auto-focus rear camera with flash

KEYBOARD & INPUT

- 6 buttons (1x user-definable key)

COMMUNICATONS

- Intel® Dual Band Wireless AC 9260 (802.11a/b/g/n/ac)
- Bluetooth® V5.0
- Optional : dedicated GPS module (UBLOX-NEO-M8N)¹
- Optional : 4G LTE multi-carrier mobile broadband¹
- Optional : RF antenna pass-through for GPS, WWAN¹

SECURITY

- TPM 2.0
- NIST BIOS compliant
- Stealth mode
- Kensington lock
- Optional: HF/LF RFID reader²

I/O INTERFACES

- USB 3.0 (type A) x 2
- Audio in/out (combo jack) x 1
- microSD card (microSDXC) x 1
- Docking connector (35-pin Pogo) x 1
- SIM card x 1
- DC-In jack x 1
- Optional : RF antenna pass-through for GPS, WWAN¹

EXPANSION SLOT

- Optional : 1D/2D barcode reader
- Optional : RJ45 x 1 or smart card reader or HF/LF RFID reader³

POWER

- AC adapter : 100-240V, 50Hz-60Hz, 65W Main battery Li-Ion, 11.1V, 3950mAh, 8 hours⁴
- Optional : long life battery Li-Ion 11.1V, 7800mAh, up to 16 hours⁴

ENVIRONMENT

- Temperature
 - Operating : - 20°C ~ 60°C / - 4°F ~ 140°F
 - Storage : - 40°C ~ 71°C / - 40°F ~ 160°F
- Humidity : 5% ~ 95%

DIMENSION & WEIGHT

- 299 mm (L) × 192 mm (W) × 20 mm (H)
- 1.2 kg

WARRANTY

- 3-year limited warranty standard


1. WWAN and GPS are mutually exclusive.
2. Contact your sales representative for feature availability.
3. RJ45, smart card reader and RFID are mutually exclusive options.
4. Tested using the MobileMark 2014 battery life benchmark. Results may vary under different situations including hardware configuration, software, operating conditions, power management settings and other factors.
5. Tablet hardware support Windows 11.

Ordering Information

[more configurations on request](#)

PN	Display	CPU	RAM	SSD	WiFi/BT	LTE/GPS	Additional options
R11L-STD-P-4G-128G-PAAX	Standard 500 nits	Pentium Gold 4417U	4GB	128GB	yes	no	no
R11L-STD-P-4G-128G-PAAX	Standard 500 nits	Pentium Gold 4417U	4GB	128GB	yes	no	no
R11L-STD-P-4G-128G-PAAH	Standard 500 nits	Pentium Gold 4417U	4GB	128GB	yes	no	Barcode Scanner
R11L-STD-P/8G/256G-PAAX	Standard 500 nits	Pentium Gold 4417U	8GB	256GB	yes	no	no
R11L-SLR-P-4G-128G-PAAX	Premium 1000 nits	Pentium Gold 4417U	4GB	128GB	yes	no	no
R11L-SLR-P-4G-128G-PEAX	Premium 1000 nits	Pentium Gold 4417U	4GB	128GB	yes	yes, Combo	no
R11L-SLR-P-4G-128G-PBAX	Premium 1000 nits	Pentium Gold 4417U	4GB	128GB	yes	Dedicated GPS	no
R11L-SLR-P-4G-256G-PEAX	Premium 1000 nits	Pentium Gold 4417U	4GB	256GB	yes	yes, Combo	no
R11L-SLR-P/8G/256G-PEAX	Premium 1000 nits	Pentium Gold 4417U	8GB	256GB	yes	yes, Combo	no

R11L I/O Details



DURABOOK

Prepared for the Unexpected

R11/R11L Tablets

Solution Guide





R11L Tablet

Ultra Affordable With Feature-Rich Functionality

The Durabook R11L rugged tablet is built to meet the needs of workers in professions ranging from retail and hospitality to warehousing, logistics and field service. This tablet features a brilliant 11.6" capacitive touchscreen and high-performance, energy-smart Intel® processor for efficient use on the move. The R11L also offers an optional barcode reader, optional RFID reader, back camera, and optional smart card reader for seamless data-capture in a slim, light and durable device.

- 11.6" FHD DynaVue® SR display
- Intel® Pentium® 4000 Series Processor
- Wireless AC9260 & Bluetooth® V5.0
- Long-life battery up to 16 hours
- Optional barcode, RFID & smart card reader
- Dedicated GPS & 4G LTE WWAN





R11 Tablet

Thin and Light with Enterprise-Class Performance

Every inch and detail of the Durabook R11 rugged tablet is designed to maximize the efficiency of professional field workers. The Durabook R11 is only 20mm (0.78") in height and weighs just 1.2kg (2.7lb), making it the world's most compact tablet in the fully-rugged class. Adding to its appeal is a smooth, streamlined exterior that complements its tough image.

- 11.6" FHD DynaVue® SR display
- Long-Life Battery up to 16 hours
- 8th Generation Intel® Core™ Processor
- Dedicated GPS & 4G LTE WWAN
- Intel® Wireless AC9260 & Bluetooth® V5.0



DOCKING SOLUTIONS

Office Dock with AC Adapter

Ports:

- 10/100/1000 Ethernet (RJ-45) x 1
- USB 3.0 (type A) x 2
- USB 2.0 (type A) x 2
- HDMI port (type A) x 1
- Serial COM port (D-sub) x 1
- DC-in jack x 1

Size:

240 mm (W) x 245.9 mm (D) x 167.8 mm (H)

Weight: 1.5 kg

Part Number:

DDXR1_



Cradle

Size:

215 mm (W) x 256.5 mm (D) x 87.8 mm (H)

Weight: 1.97 kg

Part Number:

DVCR1X



DOCKING SOLUTIONS

Vehicle Light Dock with Dual RF Pass-through (with Car Adapter)

Ports:

- 10/100/1000 Ethernet (RJ-45) x 1
- USB 3.0 (type A) x 2
- WWAN antenna port
- USB 2.0 (type A) x 2
- HDMI port (type A) x 1
- GPS antenna port
- Serial COM port (D-sub) x 1
- DC-in jack x 1

Size:

215 mm (W) x 295.1 mm (D) x 87.8 mm (H)

Weight: 2.2 Kg

Part Number:

DVPR1X



POWER MANAGEMENT SOLUTIONS

Spare Standard Battery

Part Number:
DBMR1X



Spare Extended Hi-Cap Battery

Part Number:
DBHR1X



Battery Charger - 2 bays

Part Number:
DC2R1_



*Supports both main and hi-cap battery
Supports up to three 2-Bay Chargers daisy chained together
using the attached DC-out cable.*

Power Input: 100-240V, 50-60Hz, 65W AC Adapter
Dimensions: 151 mm (W) x 175 mm (D) x 70 mm (H)
Weight: 0.6kg

65W AC Adapter with power cord

Part Number:
DAA6X_



Car Adapter (11-27V DC)

Part Number:
DAD1XX



PRODUCTIVITY SOLUTIONS

Expansion Module - HF/LF RFID Reader

Part Number:
DEFR1X



Expansion Module - MSR+Smart Card Reader

Part Number:
DE2R1X



Expansion Module - RJ-45

Part Number:
DEJR1X



Expansion Module - RJ-45/RS-232 & Smart Card Reader

Part Number:
DE3R1X



Expansion Module - Smart Card Reader

Part Number:
DESR1X



iKEY Detachable Backlit Keyboard

Part Number:
TKBR1K



Shoulder Strap (2 Point)

Part Number:
DMS2XX



Shoulder Strap (4 Point)

Part Number:
DMS4XX




Hand Strap

Part Number:
DMHSXX



X Strap

Part Number:
DMXSRX



PRODUCTIVITY SOLUTIONS

Spare Stylus & Tether

Part Number:
DMSTRX



Folio Case

Part Number:
DMFCRX



Screen Protector Film

Part Number:
DPFR1X



Tablet Stand

Part Number:
DMTSXX



WARRANTY SOLUTIONS

Extended Warranty

Durabook's Extended Warranty provides up to an additional 2 years of warranty thereby minimizing the cost of repair throughout the lifecycle of your device.

Part Numbers:

EW4-R11 - Extended Warranty - Years 1 to 4 (including 1 Year Extended Warranty)

EW5-R11 - Extended Warranty - Years 1 to 5 (including 2 Year Extended Warranty)

Accidental Damage Warranty (Protection Plus)

Durabook's Accidental Damage Warranty provides up to 5 years of warranty. With Durabook's Accidental Damage Warranty your Durabook rugged devices are covered for accidental damage.

Part Numbers:

PP3-R11 - Accidental Damage Warranty - Years 1 to 3

PP4-R11 - Accidental Damage Warranty - Years 1 to 4 (including 1 Year Extended Warranty)

PP5-R11 - Accidental Damage Warranty - Years 1 to 5 (including 2 Year Extended Warranty)

Extended Battery Warranty

Durabook's Extended Battery Warranty provides up to 5 years of warranty on the device's main standard battery providing you with a worry free solution for your workforce.

Part Numbers:

EBW2-R11 - Extended Battery Warranty - 2 Years Cover (Main Standard Battery Only)

EBW3-R11 - Extended Battery Warranty - 3 Years Cover (Main Standard Battery Only)

EBW4-R11 - Extended Battery Warranty - 4 Years Cover (Main Standard Battery Only)

EBW5-R11 - Extended Battery Warranty - 5 Years Cover (Main Standard Battery Only)

EBWH2-R11 - Extended Battery Warranty - 2 Years Cover (Main with Hi-Cap Battery)

EBWH3-R11 - Extended Battery Warranty - 3 Years Cover (Main with Hi-Cap Battery)

EBWH4-R11 - Extended Battery Warranty - 4 Years Cover (Main with Hi-Cap Battery)

EBWH5-R11 - Extended Battery Warranty - 5 Years Cover (Main with Hi-Cap Battery)

Extended Warranty - Others

Durabook's other Extended Warranty provides up to 3 years of warranty on other Durabook Solutions.

Part Numbers:

EDW2-R11 - Extended Durabook Office Dock Warranty - 2 Years Cover

EDW3-R11 - Extended Durabook Office Dock Warranty - 3 Years Cover

SOLUTION OVERVIEW

CATEGORY	ITEM	PART NO.
DOCKING SOLUTIONS	Office Dock with AC Adaptor	DDXR1_
	Cradle	DVCR1X
	Vehicle Light Dock with Dual RF Pass-through (with Car Adapter)	DVPR1X
POWER MANAGEMENT SOLUTIONS	Spare Standard Battery	DBMR1X
	Spare Extended Hi-Cap Battery	DBHR1X
	Battery Charger - 2 bays	DC2R1_
	65W AC Adapter with power cord	DAA6X_
	Car Adapter (11-27V DC)	DAD1XX
PRODUCTIVITY SOLUTIONS	Expansion Module - HF/LF RFID Reader	DEFR1X
	Expansion Module - MSR+Smart Card Reader	DE2R1X
	Expansion Module - RJ-45	DEJR1X
	Expansion Module - RJ-45/RS-232 & Smart Card Reader	DE3R1X
	Expansion Module - Smart Card Reader	DESR1X
	iKEY Detachable Backlit Keyboard	TKBR1K
	Shoulder Strap (2 Point)	DMS2XX
	Shoulder Strap (4 Point)	DMS4XX
	Hand Strap	DMHSXX
	X Strap	DMXSRX
	Spare Stylus & Tether	DMSTRX
	Folio Case	DMFCRX
	Screen Protector Film	DPFR1X
	Table Stand	DMTSXX
WARRANTY SOLUTIONS	Extended Warranty	
	Extended Warranty - Years 1 to 4 (including 1 Year Extended Warranty)	EW4-R11
	Extended Warranty - Years 1 to 5 (including 2 Year Extended Warranty)	EW5-R11
	Accidental Damage Warranty (Protection Plus)	
	Accidental Damage Warranty - Years 1 to 3	PP3-R11
	Accidental Damage Warranty - Years 1 to 4 (including 1 Year Extended Warranty)	PP4-R11
	Accidental Damage Warranty - Years 1 to 5 (including 2 Year Extended Warranty)	PP5-R11

SOLUTION OVERVIEW

CATEGORY	ITEM	PART NO.
WARRANTY SOLUTIONS	Extended Battery Warranty	
	Extended Battery Warranty - 2 Years Cover (Main Standard Battery Only)	EBW2-R11
	Extended Battery Warranty - 3 Years Cover (Main Standard Battery Only)	EBW3-R11
	Extended Battery Warranty - 4 Years Cover (Main Standard Battery Only)	EBW4-R11
	Extended Battery Warranty - 5 Years Cover (Main Standard Battery Only)	EBW5-R11
	Extended Battery Warranty - 2 Years Cover (Main with Hi-Cap Battery)	EBWH2-R11
	Extended Battery Warranty - 3 Years Cover (Main with Hi-Cap Battery)	EBWH3-R11
	Extended Battery Warranty - 4 Years Cover (Main with Hi-Cap Battery)	EBWH4-R11
	Extended Battery Warranty - 5 Years Cover (Main with Hi-Cap Battery)	EBWH5-R11
	Extended Warranty - Others	
	Extended Durabook Office Dock Warranty - 2 Years Cover	EDW2-R11
	Extended Durabook Office Dock Warranty - 3 Years Cover	EDW3-R11



DURABOOK

Prepared for the Unexpected

www.durabook.com

Copyright© Twinhead International Corp. and/or any of its affiliates. All Rights Reserved.

All brand names are registered trademarks of their respective owners.

The specifications and pictures are subject to change without notice.

May.2021_R11-R11L_V1