



**Fanless Embedded System**



**Specifications :**

■ Dimension (W*H*D)	■ 185 * 48 * 142 mm
■ Construction	■ Aluminum housing
■ Colors	■ Black
■ System model	■ JBC376C55(W)-2930G4
■ MB model	■ JNC55-E2930-4G
■ CPU	■ INTEL® Bay Trail-M N2930 SoC Processor (1.86GHz)
■ BIOS	■ AMI UEFI
■ Memory	■ Onboard SAMSUNG 4G/1333MHz DDR3L Memory
■ Storage Space	■ 1 * 2.5" SATA Device (Max Height 9.5 mm) ■ 1 * m-SATA SSD Device (Mini PCI-E)
■ Display Interface	■ 1 * HDMI ■ 1 * VGA
■ Network	■ 2 * RJ45 (Giga Lan) ■ WiFi (optional / JBC376C55W-2930G4)
■ Audio	■ 1 * Line out ■ 1 * Mic in
■ Front I/O Port	■ 5 * USB 2.0 , 1 * USB 3.0 ■ 1 * Speaker con ( R+/R-/L+/L- )
■ Rear I/O Port	■ 6 * COM(COM5/COM6 Support RS232/422/485) , 1 * GPIO
■ Expansion Interface	■ 1 * Mini PCI-E (Full-size)
■ Power Source	■ DC9~24V Jack input ■ Adapter : AC_90~240V / DC_12V_5A / 60W
■ Certification	■ EMC : CE , FCC ■ Safety : RoHS , ErP
■ Environment	■ Operating Temperature : -10 ~ 60°C ■ Storage Temperature : -20 ~ 70
■ Mounting	■ Wall mounting Kits

■ Packing


■ Net Weight : 1.4KG

■ Gross Weight : 2.7KG


■ Color Box Dimension : 250(W) x 118 (D) x 295 (H) mm

## External I/O :

### Fornt



### Rear





### Packing List :

Parts Number	Description	Set
— — —	JBC376C55(W)-2930-B	1
G03-JC376QIG01-F	376 Quick Installation Guide	1
G02-DVD20-A12-WF	Mini-ITX INTEL Baytrail DVD Driver	1
L01AS029-F	Adapter 12V/5A 60W Plug 帶螺帽 Powertron	1
— — —	Power cord	1
LCSCBJC3XX-F	375 Screw Pack	2